

* <i>Quercus alba</i> X <i>stellata</i>	<i>Maritime Oak</i>
Dry woods with <i>Q. alba</i> and <i>Q. stellata</i> .	
Silver Spring 1887.	
<i>Quercus stellata</i> Weng.	<i>Post Oak. Iron Oak.</i>
<i>Quercus minor</i> Sarg.	
Frequent in dry woods.	
<i>Quercus bicolor</i> Willd.	<i>Swamp White Oak</i>
Low woods along rivers.	
<i>Quercus prinus</i> L.	<i>Basket Oak. Cow Oak.</i>
Swamps and low woods.	
<i>Quercus Muhlenbergii</i> Engelm.	<i>Yellow Oak. Chestnut Oak.</i>
Frequent in Takoma and generally.	
* <i>Quercus prinoides</i> Willd.	<i>Scrub Chestnut Oak</i>
Similar to above but dwarf.	
Sligo X roads. 1888.	
<i>Quercus Montana</i> Willd.	<i>Rock Chestnut Oak</i>
Common in dry woods.	
<i>Quercus palustris</i> Muench.	<i>Swamp Spanish or Pin Oak.</i>
Occasional. Frequent as a park and street shade tree.	
<i>Quercus coccinea</i> Muench.	<i>Scarlet Oak.</i>
Common.	
<i>Quercus velutina</i> Lam.	<i>Quercitron. Yellow-barked or Black Oak</i>
Bark is much used in tanning.	
<i>Quercus falcata</i> Michx.	<i>Spanish or Southern Red Oak.</i>
<i>Quercus rubra</i> Sargent non L.	
Abundant in dry woods everywhere.	
<i>Quercus rubra</i> L. non Sargent.	<i>Northern Red Oak</i>
<i>Quercus maxima</i> (Marsh.) Ashe.	
Occasional. Four magnificent trees on Willow Avenue, Takoma.	
<i>Quercus marilandica</i> Muench.	<i>Black Jack or Barren Oak.</i>
Dry soil.	
<i>Quercus imbricaria</i> Michx.	<i>Laurel or Shingle Oak</i>
Rare. Only one tree observed.	
* <i>Quercus Leana</i> Nutt.	<i>Virginia Oak</i>
Rare. (<i>Q. imbricaria</i> x <i>velutina</i>)	
Sligo. Lester F. Ward 1884. Carroll Estate 1887.	
* <i>Quercus Phellos</i> L.	<i>Willow Oak</i>
Infrequent. Takoma 1903.	

POLY	* <i>Quercus heterophylla</i> Michx. Rare. (<i>Q. phellos x velutina</i>) Terra Cotta 1882.	Bartram Oak Duck, Sowbel, Bitter Duck Summer
	* <i>Quercus palustris</i> X <i>Phellos</i> Takoma 1908.	Field or Sheep Sowbel Elm
URTICACEAE (NETTLE FAMILY)		
	<i>Ulmus</i> (Tourn.) L.	American or White Elm. March; fr. April
	<i>Ulmus americana</i> L. Rare. Occasionally planted along streets.	July Mulberry Red Mulberry
	<i>Morus</i> (Tourn.) L.	White Mulberry
	<i>Morus rubra</i> L. Per. Common. Wet flats of coastal plain.	July-August Wood Nettle
	<i>Morus alba</i> L. Commonly escaped. Native of Asia and Europe.	July-September Wood Nettle
	<i>Laportea canadensis</i> (L.) Gaud. <i>Urticastrum divaricatum</i> (L.) Kuntz. Common in rich woods and alluvial soil.	July-October False Nettle
	<i>Boehmeria cylindrica</i> (L.) Swartz Wet places. Frequent.	July-September Lady's Thimb, Pink- Bastard Toad-flax
SANTALACEAE (SANDLEWOOD FAMILY)		
	<i>Comandra umbellata</i> (L.) Nutt. Takoma. 1897.	June-September June-September
ARISTOLOCHIACEAE (BIRTHWORT FAMILY)		
	* <i>Aristolochia</i> (Tourn.) L. Birthwort Tropical Asia	August-September
	* <i>Aristolochia Serpentaria</i> L. Dry woods. Sligo two miles above Takoma 1895.	June-July Virginia Snakeroot
	Kensington. <i>Bilderaea scandens</i> (L.) Greene.	July-September Climbing False Buck- wheat,

POLYGONACEAE (BUCKWHEAT FAMILY)

		Black Buckwheat
Bilderdykia convolvulus (L.) Diet.	Rumex L. ground.	Jul. Dock. Sorrel.
*Rumex obtusifolius L.		Bitter Dock
Waste places; common.		Summer
Sligo near Takoma 1895.		
Rumex Acetosella L.	Chenopodium (Tourn.) L.	Cocopeas, Pigweed.
A common weed. Rocky dry hills and fields.		Field or Sheep Sorrel
Chenopodium (Tourn.) L.		Morren's Tea, Wormseed
Polygonum (Tourn.) L.		Summer
Polygonum erectum L.		Knotweed
Common.		September. Pig-
Polygonum lapathifolium L.		weed.
Persicaria lapathifolia (L.) S.F.Gray		June-October
Wet flats of coastal plain.		July-September
Polygonum amphibium L.		Green Amaranth. Pig-
Persicaria amphibia (L.) S.F.Gray		weed.
Aquatic or rooting in mud.		July-August
Polygonum Muhlenbergii (Meisn.) Wats.		
Persicaria Muhlenbergii (S. Wats.) Small		
Wet places, river banks.		August-September
Occasional.		
Polygonum pensylvanicum L.		Common Peke or Seeks,
Persicaria pensylvanica (L.) Small		Garget, Pigeon
Wet places. Common.		berry.
Polygonum punctatum Ell.		July-September
Persicaria punctata (Ell.) Small		
Wet places, swamps; common.		Water Smartweed
Polygonum Persicaria L.		
Persicaria mitis Gilib.		Lady's Thumb. Pink-
Waste, damp places; common.		weed.
Polygonum virginianum L.		June-September
Tovara virginica (L.) Raf.		
Low wet woods.		Jumpseed
Polygonum sagittatum L.		
Tracaulon sagittatum (L.) Small		Arrow-leaved Sandwort
Wet stream bank; swamps;		Tear-thumb
common.		August-September
Polygonum scandens L.		
Bilderdykia scandens (L.) Greene.		Climbing False Buck-
Stellaria longipes Greene.		wheat.
Alpine Sagittaria (L.) Greene.		July-September
Deep meadows.		
Allion helmsii Greene 1895.		April-June

* <i>Polygonum Convolvulus</i> L.	Black Bindweed
<i>Bilderdykia convolvulus</i> (L.) Dum.	
Cultivated and waste ground.	July-September
Terra Cotta 1895.	April-May

CHENOPodiACEAE (GOOSEFOOT FAMILY)

<i>Chenopodium (Tourn.) L.</i>	Goosefoot. Pigweed.
<i>Chenopodium Ambrosicoides</i> L.	Mexican Tea. Wormseed
Waste ground; common.	July-October
<i>Chenopodium album</i> L.	Lamb's Quarter. Pig-
Common weed everywhere.	weed.
Young plants make excellent	June-October
"greens".	White Campion

AMARANTHACEAE (AMARANTH FAMILY)

<i>Amaranthus (Tourn.) L.</i>	Amaranth
<i>Amaranthus hybridus</i> L.	Green Amaranth. Pig-
Troublesome weed in cultivated	weed.
and waste ground.	July-October

PHYTOLACCACEAE (POKEWEED FAMILY)

<i>Phytolacca (Tourn.) L.</i>	Pokeweed
<i>Phytolacca decandra</i> L.	Common Poke or Scoke,
<i>Phytolacca americana</i> L.	Garget, Pigeon
Common weed in rich moist waste	Berry.
ground. Used as greens.	June-September
Roots medicinal.	

CARYOPHYLLACEAE (PINK FAMILY)

<i>Spergularia J. & C. Presl.</i>	Sand Spurrey
<i>Tissa Adams</i>	Pink. Carnation
* <i>Spergularia rubra</i> (L.) J. & C. Presl.	
<i>Tissa rubra</i> (L.) Britton	Popford Pink
Takoma on 4th Street. 1899. Rare.	April-July

Arenaria L.

Sandwort

PORTULACACEAE (PURSLANE FAMILY)

* <i>Arenaria serpyllifolia</i> L.	Thyme-leaved Sandwort
Occasional everywhere. European.	April-June

Silver Spring 1895.

Claytonia virginica L.

Syring Beauty

Native spec. *Stellaria L.*

Chickweed. Starwort.

Alsine L.

Portulaca oleracea L.

Parlsey

**Stellaria longifolia* Muhl.

Stitchwort

Alsine longifolia (Muhl.) Britton

Dwarf Purslane

Damp meadows.

Summer

Sligo below Takoma 1915.

April-June

MOPHARACEAE (Cerastium L.)

**Cerastium viscosum* L.
Wet meadows; occasional
Wheaton 1915. Native of Europe
Rare. Used as food edible.
Agrostemma L.

Mouse-ear Chickweed

Sagina procumbens
April-May
Moist soil, water
Corn Cockle

RANUNCULACEAE (Agrostemma L.)

Seeds poisonous.
Grain fields and roadsides.
Terra Cotta 1895.

May-July
Crowfoot, Buttercup.

Lychnis (Tourn.) L.

Lychnis alba Mill.
Rare. Native of Europe
Road towards Burnt Mills 1915.

Hooked crowfoot
Campion

**Silene Antirrhina* L.

Dry soil, waste places; occasional
Sligo 1915. Probably

White Campion

Meadow Rue

Silene stellata (L.) Ait.

Wooded banks

Sleepy Catchfly

May-June

Silene latifolia (Mill.) Britton and
Rendle

Fields, roadsides.
Native of Europe and Asia.

Starry Campion
June-August

Bladder Campion

Saponaria officinalis L.

Roadsides, etc.

Rue American

European

March-April

Dianthus L.

Fields, etc.; common

Soapwort. Bouncing
Bet.

June-October

European

Pink. Carnation

Dianthus Armeria L.

Fields, etc.; common

Deptford Pink

European

May-July

PORTULACACEAE (PURSLANE FAMILY)

Claytonia (Gronov.) L.

Spring Beauty

Claytonia virginica L.

Spring Beauty

Moist open woods; common

March-May

Portulaca (Tourn.) L.

Monkshood,

Portulaca oleracea L.

Purslane

Common weed in gardens, etc.

Common Purslane

European. Used as "greens".

Throughout summer

NYMPHAEACEAE (WATER LILY FAMILY)

Clinchiora *Nelumbo* (Tourn.) Adams.

Rich soil; occasional.

**Nelumbo lutes* (Willd.) Pers.

Rare. Roots and seed edible.
Kensington 1939.

RANUNCULACEAE (CROWFOOT FAMILY)

Woods; not uncommon.

**Ranunculus* (Tourn.) L.

**Ranunculus recurvatus* Poir.

MAGNOLIAC Damp woods; not uncommon.
Sligo below Takoma Park 1915

Thalictrum (Tourn.) L.

**Thalictrum dioicum* L.

Moist woods. Witskie 1938.

**Thalictrum revolutum* D.C.

Woods and low ground; not uncommon.

East of Brightwood 1915. Probably
within our limits.

Anemone *Thalictrum polygamum* Muhl.

Wet woods, swamps; occasional.

Anemonella Spach.

Syndesmon Hoffmannsegg

Anemonella thalictroides (L.) Spach.

BERBERIDACEA Deciduous woods; common.

Hepatica (Rupp.) Hill.

Hepatica *triloba* Chaix.

Hepatica *americana* Ker.

Deciduous woods; infrequent.

LAURACEAE (LAV Anemone (Tourn.) L.

Dogbane

Sacred Bean root.

Black Cohosh

Yellow Nelumbo. Water
Chinquapin

Banberry, Cobash

White Banberry

May

Crowfoot. Buttercup.

Hooked Crowfoot

April-May

Meadow Rue

Small or Laurel H.

Early Meadow Rue

April-May

Philip Tree

June

May-June

Tall Meadow Rue

May-July

North American Pawpaw

Common Pawpaw

April-May

Rue Anemone

March-April

Liverleaf. Hepatica

April-May; fr. July

February-April

Anemone

Anemone virginiana L.

Woods and meadows; not uncommon

June-August

Clematis (Salisb.) Kuntze.

Clematis L.

April-May

Clematis virginiana L.

Roadside thicket. Agar Road

Virgin's Bower

August-September

Aconitum (Tourn.) L.

Aconite. Monkshood.

Wolfbane

Wild Monkshood

September

**Aconitum uncinatum* L.

Rich shady soil along stream.

Rare. Woodside 1895.

April

PAPAVERACEAE (*Cimicifuga* L.)

Cimicifuga racemosa (L.) Nutt.
Rich woods; occasional.

Bugbane

Black Snake root.
Black Cohosh

June-July

Actaea L.

Baneberry. Cohosh

CRUCIFERAE (*Actaea alba* (L.) Mill.)

BRASSICAE Rich woods; infrequent.
Four miles east of Rockville.
Titus Ulke 1933.

White Baneberry
May

Pepperwort. Pepper-
grass.

MAGNOLIACEAE (MAGNOLIA FAMILY)

Magnolia L.

May-July

**Magnolia virginiana* L.
Swamps and marshes.
Takoma 1895.

Small or Laurel M.
Sweet Bay

May-June

COPACILLAE (*Liriodendron* L.) Medic.

Tulip Tree
May-June

Liriodendron Tulipifera L.

May-June

Common

Water Cress

ANONACEAE (CUSTARD APPLE FAMILY)

Asimina Adams.

North American Pawpaw
Tree Water Cress

Asimina triloba Dunal.

Common Pawpaw

Occasional along stream banks.

April-May

BERBERIDACEAE (BARBERRY FAMILY)

Low and dry woods; occasional.

Yellow Cress
May-July

Benzoin (*Pedophyllum* L.) mouth 1915.

May Apple. Mandrake

Pedophyllum peltatum L.

Rock Cress
April-May; fr. July

Moist woods; abundant.

Fruits edible, roots medicinal.

April-May

LAURACEAE (LAUREL FAMILY)

Sassafras Nees.

Sundew

Sassafras variifolium (Salisb.) Kuntz.

April-May

Commoner.

Aromatic; leaves as flavoring for
food; bark root for tea, dye, aromatic
oil in perfumery, and flavoring candies
and medicine.

Benzoin Fabr.

All Spice. Fever Bush

Lindera Benzoin (L.) Blume

Spice Bush. Benjamin

Benzoin aestivale (L.) Nees.

Bush

Along streams, moist woods. Medi-

April

cial and as spice by settlers and Indians.

PAPAVERACEAE (POPPY FAMILY)

Sanguinaria (Dill.) L.

Bloodroot

Sanguinaria canadensis L.

Wild Hydrangea

Common in rich woods; Juice ~~yellow~~ orange-red.

March-April

MAMMALIACEAE (MAMMALI FAMILY)

CRUCIFERAE (MUSTARD FAMILY)

BRASSICACEAE

Lepidium (Tourn.) L.

Moist rocky woods; frequent.

Witch-Hazel

Lepidium virginicum L.

Abundant in fields and waste ground. Used as "greens".

Pepperwort. Peppergrass.

Capsella Medic.

at mouth of Sligo River Co. Sligo Ire.

Dutch Gun Tree

May-July

Capsella Bursa-pastoris (L.) Medic.

Common in fields and waste ground. European.

Shepherd's Purse

PLATANACEAE

Radicula (Dill) Hill*Sisymbrium* L.

March-June

Buck's Buttonweed

Water Cress

Sycamore

May to Autumn

**Radicula Nasturtium-aquaticum* (L.) Britton and Rendle

ROSACEAE In streams; infrequent.

True Water Cress

European.

May to Autumn

Terra Cotta 1895.

**Radicula sylvestris* (L.) Drude

Low and open ground; occasional.

Yellow Cress

European. Sligo near mouth 1915.

May-July

Spizaea to *Arabis* L.

Rock Cress

Buck.

Arabis laevigata (Muhl.) Poir.

April-May

Rocky places; occasional.

Goat's-Beard

DROSERACEAE (SUNDEW FAMILY)

**Drosera* by *Drosera* L. teletsky

Sundew

Drosera rotundifolia L.

June

Drosera intermedia Hayne

July-August

Wet places, bogs. Long gland-tipped hairs to entrap insects. Woodside 1897.

Pyrus communis L.

Pear (common or cultivated)

Cultivated and escaping. European.

April

SAXIFRAGACEAE (SAXIFRAGE FAMILY)

American Crab Apple

Hydrangea (Gronov.) L.

Hydrangea arborescens L.
Rocky woods and banks; occasional.

Wild Hydrangea

June
April-May

HAMAMELIDACEAE (WITCH-HAZEL FAMILY)

Hamamelis L.

Aronia (L.) Mill.

Hamamelis virginiana L.
Moist rocky woods; frequent.

Witch-Hazel

May, Jr., Sept.-Oct.
Autumn

Liquidambar L.

Liquidambar Styraciflora L.
Swampy woods; infrequent.
Only one tree seen near mouth of
Sligo. Another above Sligo Ave.
planted in the parkway.

Sweet Gum Tree
Berry, Shadbrush.May and June
April, Jr., June.

Hawthorn, White Thorn

PLATANACEAE (PLANE TREE FAMILY)

Washington Thorn
May

Platanus (Tourn.) L.

Sycamore, Buttonwood

Platanus occidentalis L.
Abundant.

Strawberry

Sycamore

May, Jr., Strawberry

ROSACEAE (ROSE FAMILY)

Spiraea (Tourn.) L.

Cinquefoil, Five-
finger.

**Spiraea prunifolia* Sieb. and Zucc.

April

Escaped. Sligo 1915.

May

From Japan.

Hardhack, Steeple
Bush.

Avens

**Spiraea tomentosa* L.

Goat's-Beard

Moist ground; rare. Sept. 1895.

June-July

Sligo north of Woodside July 1896.

Goat's-Beard

(Oldys.)

July

<i>Pyrus coronaria</i> L.	American Crab Apple
<i>Malus coronaria</i> (L.) Mill.	Thimbleberry.
Rare. Long Branch	
<i>Pyrus Malus</i> L.	Apple Blackberry
<i>Malus sylvestris</i> Mill.	
Cultivated and escaping.	April-May
Native of Asia.	Wild Black Berry
<i>*Pyrus arbutifolia</i> (L.) L. F.	
<i>Aronia arbutifolia</i> (L.) Ell.	
Wet woods; not common	May; fr. Sept.-Oct.
Takoma 1899.	
<i>Amelanchier</i> Medic.	Juneberry. Service Berry. Shadblush.
<i>Rubus procumbens</i> Nutt.	
<i>Rubus pensylvanicus</i> L.	
<i>Amelanchier canadensis</i> (L.) Medic.	Shad Bush
Dry open woods; occasional.	April; fr. June.
<i>Crataegus</i> L.	Hawthorn. White Thorn
<i>*Crataegus phaeopyrum</i> (L.f.) Medic.	Washington Thorn
Rare. Sligo and Riggs Road 1899.	May
<i>Fragaria</i> (Tourn.) L.	Strawberry
<i>*Fragaria virginiana</i> Duchesne	Wild Strawberry
Open ground; occasional.	
Sligo north of Takoma.	
<i>Potentilla</i> L.	Cinquefoil. Five-finger.
<i>*Potentilla pumila</i> Poir.	Rose
Old dry field, Silver Spring 1898.	May
<i>*Potentilla canadensis</i>	Brier. Eglington
Open ground. Terra Cotta 1895.	June
<i>Rosa carolina</i>	
<i>Rosa palustris</i>	
<i>Geum</i> L.	Avens
<i>Geum canadense</i> Jacq.	
Border of woods; common.	June-July
<i>Rubus</i> (Tourn.) L.	Bramble
<i>Rubus phoenicolasius</i> Maxim	Wineberry
Sometimes cultivated and escaping.	May
Introduced from Japan. Several	Lam., Cherry, etc.
plants on bank of Sligo below Carroll Ave.	Wild Black Cherry
Escaped and becoming established.	
The first recorded collection near the District.	