

<i>Scutellaria integrifolia</i> L.	Takes scattered
Moist ground; frequent.	June-July
<i>Lycopus</i> L.	Interspersed or worn
* <i>Scutellaria integrifolia typica</i> Epl.	August-October
Takoma 1895.	
<i>Lycopus</i> L.	
<i>Nepeta</i> L.	Cat Mint
Low growing, rare, chiefly in	August-September
* <i>Nepeta cataria</i> L.	Catnip
Waste places; occasional.	July-September
Native of Europe and Asia.	
Terra Cotta 1896.	
<i>Monarda</i> L.	Spearmint
Wet <i>Prunella</i> L.	Self-heal
Bright green leaves native of Europe.	
<i>Prunella vulgaris</i> L.	Heal-all. Carpenter-weed.
Common.	May-October
<i>Collinsonia canadensis</i> L.	Canadian. Rich-weed
Wood <i>Stachys</i> (Tourn.) L.	Hedge Nettle
	August-September
* <i>Stachys aspera</i> Michx.	
Wet places; occasional.	June-September
Terra Cotta 1895.	
<i>Solanum</i> (Tourn.) L.	
* <i>Stachys palustris</i> L.	Woundwort
Wet places; rare.	June-September
Woodside 1896.	
<i>Salvia</i> (Tourn.) L.	
	Sage
<i>Salvia lyrata</i> L.	Ground Cherry
Woods; common.	
Sandy, gravelly soil; frequent.	Lyre-leaved <i>Salvia</i> or Sage.
Woodside 1896.	May-July
<i>Monarda</i> L.	Horse Mint
Physic-herb. Woods Hill	
<i>Monarda punctata</i> L.	July-September
Sandy ground of Coastal Plain.	
Terra Cotta 1878.	July-October
<i>Datura</i> St. <i>Hedcorna</i> Pers.	
Dense, tall, erect, common.	Mock Pennyroyal
<i>Hedcorna pulegoides</i> (L.) Pers.	Apple-scented, Apple
Dry soil; frequent.	American Pennyroyal
	July-September
<i>Satureja</i> (Tourn.) L.	
<i>Clinopodium</i> L.	Savory. Calamint
<i>Satureja vulgaris</i> (L.) Fritsch.	
Alluvial banks, thickets;	Basil
frequent.	June-September
<i>Verbascum blattaria</i> L.	White Mullein
Waste ground, etc.; common.	
European.	June-July

<i>Lycopus (Tourn.) L.</i>	Water Horehound
<i>Lycopus virginicus L.</i> frequent. Rich moist soil, swamps; frequent.	Bugle-weed or wort August-October
<i>Lycopus uniflorus Michx.</i> Low ground; rare, chiefly in Coastal Plain.	August-October Figwort
<i>Mentha (Tourn.) L.</i>	Mint
* <i>Mentha spicata L.</i> Wet places; frequent. Brightwood. Native of Europe.	Spearmint July-August
<i>Collinsonia L.</i>	Horse Balm
<i>Collinsonia canadensis L.</i> Woods; frequent.	Citronella. Rich-weed Stone-root
<b>SOLANACEAE (NIGHTSHADE FAMILY)</b>	August-October
<i>Solanum (Tourn.) L.</i>	Nightshade
<i>Solanum carolinense L.</i> Waste ground, gardens; common weed.	Horse Nettle May-September Hoage Bysop
<i>Physalis L.</i>	Ground Cherry
* <i>Physallis heterophylla Nees</i> frequent. Sandy or alluvial soil; frequent. Woodside 1896.	July-August July-October
<i>Veronica (Tourn.) L.</i>	Speedwell
<i>Physalis virginiana Mill</i> Dry hills, gravelly soil; rare. Sandy fields) occasional.	July-September May-June
<i>Datura L.</i>	Goardie
<i>Datura Stramonium L.</i>	Jamestown or Jimson Weed. Thorn Apple
Waste places, etc.; common.	June-September
<b>SCROPHULARIACEAE (FIGWORT FAMILY)</b>	August-September
<i>Verbascum (Tourn.) L.</i>	Mullein
<i>Verbascum Thapsus L.</i> Fields and waste ground; common. European.	Common Mullein July-August
<i>Verbascum Blattaria L.</i> Waste ground, etc.; common. European.	Moth Mullein June-July

<i>Linaria</i> (Tourn.) Hill.	Toadflax
* <i>Linaria canadensis</i> (L.) Dumont Fields, etc. Takoma 1897.	Blue Toadflax May-June
<i>Linaria vulgaris</i> L. Agreeable Weed, roadsides.	Slender Gerardia
<i>Scrophularia</i> (Tourn.) L.	August-October
* <i>Scrophularia marilandica</i> L. Woods. Woodside 1895.	Pigwort
Again <i>Pentstemon</i> (Mitchell) Ait.	August-September
* <i>Pentstemon hirsutus</i> (L.) Willd. Thickets, etc. Woodside 1896.	Beard-tongue
<i>Paulownia</i> Sieb. and Zucc.	May-June
<i>Paulownia tomentosa</i> (Thunb.) Steud. Escaped. Introduced from Japan.	Empress Tree
<i>Mimulus</i> L.	Monkey Flower
* <i>Mimulus ringens</i> L. Wet places. Woodside 1895.	July-August
<i>Gratiola</i> L.	Hedge Hyssop
<i>Gratiola pilosa</i> Michx. <i>Sophronitella pilosa</i> (Michx) Small. Dry or wet places; infrequent.	Cow Throat
Takoma 1908.	July-August
<i>Veronica</i> (Tourn.) L.	Speedwell
<i>Veronica officinalis</i> L. Woods, fields; occasional.	Speeddrops, Common Speedwell May-June
<i>Gerardia</i> (Plumier) L.	Gerardia
* <i>Gerardia Pedicularia</i> L. <i>Aureolaria pedicularia</i> (L.) Raf.	August-October
Dry copse; infrequent.	August-September
Woodside 1904.	
<i>Gerardia laevigata</i> Raf.	Calypso.
<i>Aureolaria laevigata</i> Raf. Rare. Creeping; infrequent.	September
* <i>Gerardia suriculata</i> Michx. <i>Otophylla suriculata</i> (Michx) Small. Wet places; infrequent.	September
Woodside 1898.	

* <i>Gerardia purpurea</i> L.	Purple Gerardia
<i>Agalinis purpurea</i> (L.) Britton	
Wet places; frequent.	September
Terra Cotta 1910	Takoma 1896
<i>Gerardia tenuifolia</i> Vahl.	Slender Gerardia
<i>Agalinus tenuifolia</i> (Vahl.) Raf.	
Wet or dry places; occasional.	August-October
Terra Cotta 1886.	
PLANTAGINACEAE	
* <i>Gerardia setacea</i> Walt.	Plantain, Ribwort
<i>Gerardia holmiana</i> Greene	
<i>Agalinus holmiana</i> (Greene) Pennell	September-October
Dry woods and fields; occasional.	
Takoma 1910.	
* <i>Plantago lanceolata</i> L.	English Plantain
* <i>Gerardia parvifolia</i> Chapm.	May-August
<i>Gerardia decemloba</i> Green	
<i>Agalinus decemloba</i> (Green) Pennell	August-September
Dry places, woods, fields;	
occasional.	
Silver Spring 1904.	
* <i>Plantago rugelii</i> L.	
Open Buchnera L.	Blue Hearts
Close two miles north of Takoma.	
* <i>Buchnera americana</i> L.	May-September
Wet sandy places; rare.	
Woodside 1895.	
<i>Melampyrum</i> (Tourn.) L.	Cow Wheat
* <i>Melampyrum lineare</i> Lam.	June-September
Open woods. Terra Cotta.	
Takoma 1897.	May-August
OROBANACEAE (BROOM-RAPE FAMILY)	
<i>Epifagus</i> Nutt.	Beech-drops. Cancer-
<i>Leptarrhynchus</i> Raf.	root.
<i>Epifagus virginiana</i> (L.) Bart.	
<i>Leptarrhynchus virginianum</i> (L.) Raf.	May-June; Fr. autumn
Parasitic on roots of Beech trees; frequent.	August-October
BIGNONEACEAE (BIGNONIA FAMILY)	
<i>Catalpa</i> Scop.	Catalpa.
<i>Catalpa bignonioides</i> Walt.	
Cultivated and escaping; infrequent.	
ACANTHACEAE (ACANTHUS FAMILY)	
<i>Ruellia</i> (Plumier) L.	Climate, Innocents.
	Antislavery

* <i>Ruellia ciliosa</i> Pursh		
<i>Ruellia carolinensis</i> (Walt.) Steud	May-September	
Woods, thickets; occasional.	June-August	
<i>Sligo</i> two miles north of Takoma 1895.		
* <i>Ruellia parviflora</i> (Nees) Britton	Honeysuckle	
<i>Sligo</i> north of Takoma 1895.		
<i>Lonicera japonica</i> Thunb.	Japanese Honeysuckle	
PLANTAGINACEAE (PLANTAIN FAMILY)	May-Oct.; fr. Sept.-Feb	
<i>Plantago</i> (Tourn.) L.	Plantain. Ribwort	
<i>Lonicera</i> (Thunb.) L.	Trumpet Honeysuckle	
<i>Plantago rugelii</i> Dene. occasionally.	May-June; fr. June-July	
Moist ground; common.	June-September	
<i>Plantago lanceolata</i> L.	English Plantain	
Notes: Abundant. A species includes the	May-August	
Native of Europe and Asia.		
* <i>Plantago aristata</i> Michx.	Bottle-brush Plantain	
<i>Fields, etc.</i> Woodside 1901.	May-July	
<i>Wood</i>	May-June; fr. August-winter	
* <i>Plantago virginica</i> L.	April-May	
Open sandy fields.		
<i>Sligo</i> two miles north of Takoma.	Dwarf Arrow-wood	
<i>Fence rows, etc.</i>	June; fr. Aug.-winter	
RUBIACEAE (MADDER FAMILY)		
<i>Sligo</i> two miles above Takoma 1895.		
<i>Galium</i> L.	Bedstraw. Cleavers	
<i>Viburnum secundiflorum</i> (L.) Gray.	June	
* <i>Galium Claytoni</i> Michx.	June-September	
<i>Swamps; occasional.</i> Terra Cotta.		
<i>Viburnum dentatum</i> L.	Arrow-wood	
<i>Galium triflorum</i> Michx.	Sweet-scented Bed-	
<i>Wet woods; frequent.</i>	straw.	
<i>Sambucus</i> (Journ.) L.	July-October	
<i>Mitchella</i> L.	Ridge	
<i>Sambucus canadensis</i> L.	Partridge Berry	
<i>Mitchella repens</i> L.	Common Cleaver	
<i>Pine woods; common.</i>	May-June; fr. July-Aug.	
CAMPANULACEAE (BLUETTE FAMILY)	May-June; fr. Autumn till Spring.	
<i>Cephaelanthus</i> L. (Fabricius)	Buttonbush	
* <i>Cephaelanthus occidentalis</i> L.	Spring-flower.	
<i>Wet places; occasional.</i> D.C.	June-August	
<i>Woodside 1895.</i>	June	
<i>Sligo</i> near 1895.		
<i>Houstonia</i> L.	Bellflower	
<i>Oenothera</i> (Tourn.) L.	Bluets, Innocents.	
* <i>Houstonia caerulea</i> L.	April-May	
<i>Open fields, meadows; common.</i>	Bellflower	
<i>Kensington 1915.</i>	June	
<i>Sligo</i> near Woodside 1895.		

<i>Lobelia</i>	<i>Houstonia purpurea</i> L. Fields, etc.; common.	May-September
<b>CAPRIFOLIACEAE (HONEYSUCKLE FAMILY)</b>		
<i>Lobelia</i>	<i>Lonicera</i> L. <sup>common</sup>	<i>Great Lobelia</i> <i>Honeysuckle</i>
<i>Lonicera japonica</i> Thunb. Common everywhere; frequent. Asia.		
<i>Lobelia</i>	<i>Lonicera sempervirens</i> L. <sup>old</sup> Thickets, fences; occasionally. Terra Cotta 1895.	<i>Japanese Honeysuckle</i> May-Oct.; fr. Sept.-Feb.
<b>COMPOSITAE (COMFREY FAMILY)</b>		
<i>Viburnum</i>	<i>Viburnum (Tourn.) L.</i> Note: Cultivated species include the snowball, high bush cranberry and the lantana.	<i>Arrow-wood.</i> <i>Leuvestince</i>
<i>Viburnum</i>	<i>Viburnum acerifolium</i> L. Woods; common. <sup>(L.) Willd.</sup>	AUGUST-SEPTEMBER <i>Arrow-wood</i> May-June; fr. August- winter.
<i>Viburnum</i>	* <i>Viburnum pabescens</i> (Ait.) Pursh. Fence rows, etc. Woodside 1895. Sligo two miles above Takoma 1895.	JUNE <i>Downey Arrow-wood</i> June; fr. Aug.-winter
<i>Viburnum</i>	<i>Viburnum scabrellum</i> (T. and G.) Chapm. Woods, fence rows, etc.	August-October <i>Thoroughwort</i> June
<i>Viburnum</i>	<i>Viburnum dentatum</i> L. <sup>occasionally; occasional.</sup> Wet places; common.	<i>Joe-Pye-Wood.</i> <i>Arrow-wood</i> May-June; fr. July- winter.
<i>Sambucus</i>	<i>Sambucus (Tourn.) L.</i> <sup>old</sup> Sligo	Elder
<i>Sambucus</i>	<i>Sambucus canadensis</i> L. Wet places; common. <sup>frequent.</sup>	Common Elder May-June; fr. July-Aug.
<b>CAMPANULACEAE (BLUEBELL FAMILY)</b>		
<i>Specularia</i>	<i>Specularia (Heist.) Fabricius</i>	JULY-SEPTEMBER <i>Venus's Looking-</i> <i>glass.</i>
<i>Specularia</i>	<i>Specularia perfoliata</i> (L.) A.D.C. Sterile open ground; frequent. Sligo near mouth 1915.	August-September June August-September
<i>Campanula</i>	<i>Campanula (Tourn.) L.</i>	Bellflower
<i>Campanula</i>	* <i>Campanula aparinoides</i> Pursh. Wet grassy ground. Sligo near Woodside 1897.	Marsh Bellflower July

## LOBELIACEAE (LOBELIA FAMILY)

Low-lying moist woods.

*Lobelia* (Plumier) L.

July-September

*Lobelia siphilitica* L.

Wet places; infrequent.

Great Lobelia

August-September

*Lobelia puberula* Michx.

Moist sandy ground; frequent.

August-September

August-September

*Lobelia inflata* L.Dry thickets and fields;  
common.

Indian Tobacco

August-September

September

## COMPOSITAE (COMPOSITE FAMILY)

Low places, moist woods.

*Vernonia* Schreb.

Mist-flower

July-September

*Vernonia noveboracensis* (L.) Willd.

Woods and fields.

Ironweed

Butter-nut root

Blazing Star

August-September

*Vernonia glauca* (L.) Willd.

Woods and fields.

July-October

*Elephantopus* (Vaill.) L.

Elephant's-foot

Golden aster

*Elephantopus carolinianus* Willd.

August-October

Woods; frequent.

Golden aster

*Eupatorium* (Tourn.) L.

August-October

Thoroughwort

*E. purpureum* L. at Silver Springs by

Joe-Pye-Weed.

Wet places generally; occasional.

Trumpet Weed

Adventive.

August-September

*\*E. serotinum* Michx.

Sligo near Sligo Avenue 1915.

Goldenrod

*E. coccineum* L.

September-October

Common.

July-September

Dry fields, etc.; frequent.

Silver-rod

*\*E. album subvenosum* Gray

September-October

Terra Cotta 1888

July-September

*\*E. hyssopifolium* L.

Sterile fields. Takoma 1908.

September-October

Short's Chapel.

August-September

*\*E. Torreyanum* Short.

Dry fields; occasional.

August-September

Takoma 1904.

*E. ciliolatum* and *E. canescens*.

Sugary Goldenrod

*E. verbascifolium* Michx.

September-October

Low places, bogs; infrequent.

August-September

*E. ciliolatum* Michx.

Sweet Goldenrod

Sandy woods. Terra Cotta 1895.

July-September

* <i>E. rotundifolium</i> L. Low open places, woods. Takoma 1904.	July-September
* <i>E. perfoliatum</i> L. Wet places. Sligo 1879, Woodside 1898.	Thoroughwort. Boneset August-September
* <i>E. urticaefolium</i> Reichard. Deciduous woods. Takoma 1905.	White Snakeroot August-September
* <i>E. aromaticum</i> L. Woodlands. Takoma	September-October September
<i>E. coelestinum</i> L. Low places, fields, woods.	Mist-flower July-October
<i>S. altilis</i> <i>Liatris</i> Schreb. Terra Cotta 1895.	Button-Snakeroot Blazing Star
* <i>L. graminifolia</i> (Walt.) Willd. <i>Laciniaria graminifolia</i> (Walt.) Kuntze Open woods and fields. Takoma 1904.	August-September September-October
* <i>C. cernua</i> (L.) Gray With <i>Chrysopsis</i> Nutt. Terra Cotta 1895.	Golden Aster
<i>C. mariana</i> (L.) Nutt. Open woods and fields; common.	Golden Aster August-October
<i>C. gossypina</i> (Michx.) Nutt Collected at Silver Springs by J. H. Painter, Sept., 1904. Adventive.	Frost Flower. Aster
<i>Aster div.</i> <i>Solidago</i> L. Damp woods and thickets;	Goldenrod. Aster August-October
<i>S. caesia</i> L. Woods; common.	September-October
<i>S. bicolor</i> L. ex. Terra Cotta 1895. Woods; common.	Silver-rod September-October
* <i>S. erecta</i> Pursh. Woodlands. Queen's Chapel Road 1885. Terra Cotta 1895.	September-October September-October
<i>S. juncea</i> Ait. Old fields, etc.; frequent.	July-September
* <i>S. neglecta</i> T. and G. frequent. Swamps, etc. Terra Cotta 1895	Swamp Goldenrod September-October
* <i>S. odora</i> Ait. <i>S. suavelens</i> Schlepp. Sandy woods. Terra Cotta 1895.	Sweet Goldenrod September-October July-September

* <i>S. Elliottii</i> T. and G. Swamps. Terra Cotta 1880.	August-October
* <i>S. ulmifolia</i> Muhl. Dryish woods. Terra Cotta 1876.	July-August August-September
* <i>S. rugosa</i> Mill. Chiefly in wet places. Takoma 1904.	September-October
X <i>S. asperula</i> Desf. A hybrid of <i>S. rugosa</i> and <i>S. sempervirens</i> L. 1888.	September-October September-October
<i>S. nemoralis</i> Ait. Dry open soil; common.	Red-stalked Aster September-November
* <i>S. altissima</i> L. Mill. Roadsides, etc.; common.) Roads fields and woods generally;	Tall Goldenrod August-October July-October
* <i>S. serotina</i> Ait. Wet weedy places. Queen's Chapel road 1887.	August-October
* <i>S. serotina gigantea</i> (Ait.) A. N. Gray With <i>S. serotina</i> . Terra Cotta 1887.	July-October July-August
* <i>Aster gracilis</i> L. ** <i>S. graminifolia</i> (L.) Salisb. Greene Damp woods and fields. ok. Woodside 1904. road 1888.	September-October September-October
<i>Aster</i> (Tourn.) L.	Starwort. Frost Flower. Aster
<i>Hedysarum occidentale</i> (L.) Pers. <i>Aster divaricatus</i> L. t. Damp woods and thickets; occasional.	Daisy Fleabane. Sweet White Wood Aster August-October
<i>Hedysarum occidentale</i> (Walt.) B. S. P. * <i>Aster concolor</i> Jackson 1896. Dry places. Terra Cotta 1896.	Daisy Fleabane Silver Aster September-October white-tipped Daisy
* <i>Aster patens</i> Ait. Dry woodlands, fields. Terra Cotta 1888. Roads; common.	September-October June-September
* <i>Aster patens phlogifolius</i> Muhl. Kensington 1910. Fields. Terra Cotta 1896.	June-September
<i>Aster undulatus</i> L. Woodlands etc.; frequent. A variable species.	September-October Tobacco. Purple Toes.
<i>Aster ericoides</i> L. Fields and hillsides; frequent. generally. Silver Springs 1896.	September-October

* <i>Aster dumosus</i> L.	Plants in leaves over beeches.	August-October
Sandy soil. Takoma 1899.		
* <i>Aster lateriflorus</i> (L.) Britton	Calico Aster	
Fields and thickets. Takoma 1899.	September-October	
* <i>Aster tradescanti</i> L.	April-May	
Takoma 1899.	September-October	
* <i>Aster salicifolius</i> Ait.	May	
Doellingeria umbellata (Mill.) Nees		
* <i>Aster Novi-belgii</i> L.	September-October	
Swamps. Terra Cotta 1888.		
* <i>Aster puniceus</i> L.	Red-stalked Aster	
Swamps. Woodside 1895.	September-October	
* <i>Aster umbellatus</i> Mill.	Gutweed	
Doellingeria umbellata (Mill.) Nees	July-October	
Fields and woods generally;		
frequent. Takoma 1899.	Common Everlasting	
* <i>Aster infirmis</i> Michx.	July-September	
Doellingeria infirma (Michx) Greene.		
Dry or moist fields and woods.	July-October	
Terra Cotta 1884.	May-September	
* <i>Aster linariifolius</i> L.	Rosin-weed	
Ionactis linariifolius (L.) Greene	September-October	
Diplopappus linariifolius Hook.	July-August	
Queen's Chapel road 1886.	Fleabane	
Fields and woods.		
Erigeron L.	Scabious	
Erigeron annuus (L.) Pers.	Daisy Fleabane. Sweet	
Fields; abundant.	Scabious. White Top	
Especially along streams;	June-October	
abundant.		
* <i>Erigeron ramosus</i> (Walt.) B.S.P.	August-September	
Fields. Takoma 1896.	Daisy Fleabane	
	May-October. Glauber.	
<i>S. sericeus</i> Sericocarpus Nees.	White-topped Aster	
Waste lands; occasional.	August-October	
<i>S. asteroides</i> (L.) B.S.P.		
Dry woods and fields; common.	June-September	
<i>S. linifolius</i> (L.) B.S.P.		
Planted ground.	August-October	
Open woods and fields.	June-October	
Terra Cotta 1896.	Cone-flower	
<i>R. hispida</i> <i>Antennaria</i> Gaertn.	Everlasting. Ladies'	
Weeds and fields; frequent.	Tobacco. Pussy's	
	Toes.	
* <i>A. Parlinii</i> Fernald.	June-September	
Rich soil in open woods and		
generally. Silver Springs 1898.	May	